

**MOSER
PATTERSON &
SHERIDAN, LLP**
ATTORNEYS AT LAW

**RECEIVED
CENTRAL FAX CENTER**

MAY 18 2004

3040 Post Oak Blvd. Suite 1500
Houston, TX 77056-6582
TEL 713.623.4844
FAX 713.623.4846
WWW.MPSLLP.COM

OFFICIAL

#10/068266

FACSIMILE COVER SHEET

DATE: May 18, 2004
TO: Examiner Patrick Connolly
FAX NO: 703/872-9306
COMPANY: USPTO
FROM: Randol W. Read
PAGE(S) with cover: 5
ORIGINAL TO FOLLOW? ☐ YES ☒ NO

**RESPONSE TO NOTICE OF DRAWING INCONSISTENCY
WITH SPECIFICATION DATED APRIL 23, 2004**

U.S. SERIAL NO.: 10/068,266
FILING DATE: February 6, 2002
INVENTOR: Berg et al.
EXAMINER: P. Connolly
GROUP ART UNIT: 2877
CONFIRMATION NO.: 9713

CONFIDENTIALITY NOTE

The document accompanying this facsimile transmission contains information from the law firm of Moser, Patterson & Sheridan, L.L.P. which is confidential or privileged. The information is intended to be for the use of the individual or entity named on this transmission sheet. If you are not the intended recipient, be aware that any disclosure, copying, distribution or use of the contents of this faxed information is prohibited. If you have received this facsimile in error, please notify us by telephone immediately so that we can arrange for the retrieval of the original documents at no cost to you.

274583_1

PATENT

Atty. Ckt. No. WEAT/0453

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:
Berg et al.

Serial No.: 10/068,266

Confirmation No.: 9713

Filed: February 6, 2002

For: Highly Sensitive Cross Axis
AccelerometerMAIL STOP ISSUE FEE
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Group Art Unit: 2877

Examiner: Connolly, P.

Customer No. 36735

RECEIVED
CENTRAL FAX CENTER

MAY 18 2004

OFFICIAL

CERTIFICATE OF FAX
37 CFR 1.8I hereby certify that this correspondence is being facsimile
transmitted to the Patent and Trademark Office to fax number
703/872-9306 to the attention of Examiner Patrick Connolly on
the date below:May 18, 2004
Date
Randol W. ReadRESPONSE TO NOTICE OF DRAWING INCONSISTENCY
WITH SPECIFICATION DATED APRIL 23, 2004

In response to the Notice of Drawing Inconsistency With Specification dated April 23, 2004, having a shortened statutory period for response set to expire on May 23, 2004, please enter this response for reasons discussed below. The Commissioner is hereby authorized to charge counsel's Deposit Account No. 20-0782/WEAT/0453/WBP, for any fees, including extension of time fees or excess claim fees, required to make this response timely and acceptable to the Office.

Amendments to the Specification begin on page 2 of this paper.
Remarks/Arguments begin on page 4 of this paper.

Page 1

274117_1